

## Dropleg Jacks

The 48000 Series has been the industry standard for years. The DUALPIN Series offers greater Dropleg stability than single pin models. Its patented quick-release handle makes operation fast, simple and safer, keeping hands away from the load. Both Series of Dropleg Jacks come standard with a 4 3/8" square outer tubing, and prime paint finish. Also available with handle and handle clip. Both Series also offer the "springloaded" self-retracting leg option.

The springloaded 48000 is available with a gray finish paint, specifically designed for use on aluminum trailers. Mounting brackets are welded onto the dropleg jack, so the jack can be bolted to the trailer rather than welded. This reduces assembly time and preserves the finish quality. The finish paint on both the handle and jack is baked-on at high temperature. The jack is boxed to protect the finish. Five year warranty.



48000 Series


DUALPIN Series

JACKS,  
COUPLERS &  
WINCHES

| Part No.      | Ref. No. | Static Load         | Lift Capacity | Lift    | Dropleg Travel | Retracted Height | Spring Loaded | Handle Included |
|---------------|----------|---------------------|---------------|---------|----------------|------------------|---------------|-----------------|
| 48000         | 294000   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | NO            | YES             |
| 48000SL       | 294020   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | YES           | YES             |
| DUALPIN       | 294030   | 20,000 LBS          | 12,500 LBS    | 12"     | 14"            | 26 1/8"          | NO            | YES             |
| DUALPIN-SL    | 294040   | 20,000 LBS          | 12,500 LBS    | 12"     | 14"            | 26 1/8"          | YES           | YES             |
| LG8700-31     | 294200   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | NO            | NO              |
| LG8700-31SL   | 294205   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | YES           | NO              |
| LGD700-21     | 294210   | 20,000 LBS          | 12,500 LBS    | 12"     | 14"            | 26 1/8"          | NO            | NO              |
| LGD700-21SL   | 294220   | 20,000 LBS          | 12,500 LBS    | 12"     | 14"            | 26 1/8"          | YES           | NO              |
| Finish Paint  |          |                     |               |         |                |                  |               |                 |
| 48000SL-P     | 294022   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | YES           | YES             |
| LG8700-31SL-P | 294207   | 12,000 LBS          | 12,000 LBS    | 13 1/2" | 12"            | 26 1/8"          | YES           | NO              |
| LG0083-01-P   | 297602   | Painted Jack Handle |               |         |                |                  |               |                 |

48000SL-P

Shelby's line of Thoroughbred Square Tube Dropleg Jacks is manufactured with 12 gauge, 2.25" square steel tubing, that provides 70% more resistance to bending than comparable round tube jacks. They are also constructed with heavy duty ball bearings and copper infiltrated iron gears to reduce wear and extend the life of the jack. The cap on the top of the jack is removable, providing access to the gears for lubrication. Additionally, the handle has an oil-impregnated bushing for easy cranking and long life. Part 6100Z includes mounting hardware that fits 3" to 5" tongues. All Thoroughbred Series Jacks carry a lifetime limited mechanical warranty.



6101B

6100Z

| Part No. | Ref. No. | Static Load | Lift Capacity | Lift | Dropleg Travel | Retracted Height | Type of Wind |
|----------|----------|-------------|---------------|------|----------------|------------------|--------------|
| 6100Z    | 263105   | 2,500 LBS   | 2,500 LBS     | 15"  | 15"            | 24.25"           | SIDE         |
| 6101B    | 263110   | 3,500 LBS   | 3,500 LBS     | 15"  | 15"            | 24.25"           | SIDE         |

## Dropleg Jacks



BULLDOG® jacks offer a variety of capacities to meet your needs. The 180 and 190 series have a prime paint outer leg and zinc plated inner leg and drop tube. The 182 series jacks are primer paint throughout, and available with a self-returning springloaded dropleg. Part numbers ending in “H” include jack and handle. The 183 series are 2-speed models.

| Part No. | Ref. No. | Static Load | Lift Capacity | Lift  | Dropleg Travel | Retracted Height | Type of Wind | Handle Included | Spring Loaded | Pin Position | Outer Tube |
|----------|----------|-------------|---------------|-------|----------------|------------------|--------------|-----------------|---------------|--------------|------------|
| 190704   | 285900   | 7,000 LBS.  | 5,000 LBS.    | 15"   | 13.5"          | 22.66"           | TOP          | YES             | N/A           | N/A          | 2.53"      |
| 190754   | 285950   | 7,000 LBS.  | 5,000 LBS.    | 15"   | 13.5"          | 25.06"           | SIDE         | YES             | N/A           | N/A          | 2.53"      |
| 190500   | 286000   | 8,000 LBS.  | 7,000 LBS.    | 15"   | 13.5"          | 20.75"           | TOP          | YES             | N/A           | N/A          | 2.53"      |
| 190510   | 286200   | 8,000 LBS.  | 7,000 LBS.    | 15"   | 13.5"          | 22.95"           | SIDE         | YES             | N/A           | N/A          | 2.53"      |
| 180354   | 286201   | 10,000 LBS. | 7,200 LBS.    | 15"   | 13.5"          | 22.93"           | TOP          | YES             | N/A           | N/A          | 3.00"      |
| 180384   | 286205   | 10,000 LBS. | 7,200 LBS.    | 15"   | N/A            | 22.06"           | TOP          | YES             | N/A           | N/A          | 3.00"      |
| 180455   | 286209   | 10,000 LBS. | 7,200 LBS.    | 15"   | 13.5"          | 25.67"           | SIDE         | YES             | N/A           | N/A          | 3.00"      |
| 182304   | 286220   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 22.5"            | TOP          | YES             | NO            | RIGHT        | 4.00"      |
| 182400   | 286225   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27.5"            | SIDE         | NO              | NO            | RIGHT        | 4.00"      |
| 182400H  | 286250   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27.5"            | SIDE         | YES             | NO            | RIGHT        | 4.00"      |
| 182417   | 286260   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27.5"            | SIDE         | NO              | NO            | FRONT        | 4.00"      |
| 182417H  | 286265   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27.5"            | SIDE         | YES             | NO            | FRONT        | 4.00"      |
| 182800   | 286275   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | NO              | YES           | RIGHT        | 4.00"      |
| 182800H  | 286300   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | YES             | YES           | RIGHT        | 4.00"      |
| 182817   | 286325   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | NO              | YES           | FRONT        | 4.00"      |
| 182817H  | 286330   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | YES             | YES           | FRONT        | 4.00"      |
| 183417   | 286335   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | NO              | NO            | FRONT        | 4.00"      |
| 183817   | 286345   | 12,000 LBS. | 10,000 LBS.   | 12.5" | 13.5"          | 27"              | SIDE         | NO              | YES           | FRONT        | 4.00"      |



JACKS,  
COUPLERS &  
WINCHES

## Dropleg Jacks

A Dropleg Jack for heavier tongue trailers, the T.E.M. Dropleg Jacks contain a 1 1/4" Acme screw with a 2" cast nut, 4" square outer tubing, and a primer painted finish. Part numbers ending in "H" include jack, handle and clip.

| Part No.  | Ref. No. | Static Load | Lift Capacity | Lift | Dropleg Travel | Retracted Height | Type of Wind | Handle Included | Spring Loaded | Pin Position |
|-----------|----------|-------------|---------------|------|----------------|------------------|--------------|-----------------|---------------|--------------|
| TC10      | 295600   | 15,000 LBS  | 10,000 LBS    | 8"   | 12"            | 27"              | TOP          | YES             | NO            | RIGHT        |
| T12FP     | 295605   | 15,000 LBS  | 12,000 LBS    | 12"  | 12"            | 27"              | SIDE         | NO              | NO            | FRONT        |
| T12FP-H   | 295610   | 15,000 LBS  | 12,000 LBS    | 12"  | 12"            | 27"              | SIDE         | YES             | NO            | FRONT        |
| T12FPSL   | 295615   | 15,000 LBS  | 12,000 LBS    | 12"  | 12"            | 27"              | SIDE         | NO              | YES           | FRONT        |
| T12FPSL-H | 295620   | 15,000 LBS  | 12,000 LBS    | 12"  | 12"            | 27"              | SIDE         | YES             | YES           | FRONT        |



TC10



T12FPSL



T12FP



JACKS,  
COUPLERS &  
WINCHES

## Heavy Duty Jacks

These Heavy Duty Jacks are made of 4 3/8" square outer tubing and are available with a single speed or two-speed gearbox. Combine two jacks to make a set of landing gear. Both the single speed and high gear on the two-speed gearbox operate at 4.5 turns per inch of travel. Low gear on the two-speed gearbox operates at 34.4 turns per inch of travel. The LG4700 jacks are non-spring load droplegs, while the LG4701 jacks are fixed leg. Holland Binkley heavy duty jacks are typically used on gooseneck trailers requiring very heavy weight bearing capacities. Finish is prime paint. Five year warranty.



| Part No.    | Ref. No. | Static Load | Lift Capacity | Lift    | Speed  | Dropleg Travel | Retracted Height | Handle Included |
|-------------|----------|-------------|---------------|---------|--------|----------------|------------------|-----------------|
| LG4700-30   | 294320   | 50,000 LBS  | 25,000 LBS    | 13 1/2" | SET    | 12"            | 29 7/8"          | YES             |
| LG4700-31   | 294300   | 25,000 LBS  | 6,500 LBS     | 13 1/2" | SINGLE | 12"            | 29 7/8"          | YES             |
| LG4700-31NH | 294305   | 25,000 LBS  | 6,500 LBS     | 13 1/2" | SINGLE | 12"            | 29 7/8"          | NO              |
| LG4700-32   | 294310   | 25,000 LBS  | 25,000 LBS    | 13 1/2" | TWO    | 12"            | 29 7/8"          | YES             |
| LG4700-32NH | 294315   | 25,000 LBS  | 25,000 LBS    | 13 1/2" | TWO    | 12"            | 29 7/8"          | NO              |



LG4700-32NH

| Part No.    | Ref. No. | Static Load | Lift Capacity | Lift | Speed  | Dropleg Travel | Retracted Height | Handle Included |
|-------------|----------|-------------|---------------|------|--------|----------------|------------------|-----------------|
| LG4701-71NH | 294380   | 35,000 LBS  | 6,500 LBS     | 17"  | SINGLE | N/A            | 34.25"           | NO              |
| LG4701-72NH | 294370   | 35,000 LBS  | 35,000 LBS    | 17"  | TWO    | N/A            | 34.25"           | NO              |
| LG4701-71   | 294400   | 35,000 LBS  | 6,500 LBS     | 17"  | SINGLE | N/A            | 34.25"           | YES             |
| LG4701-72   | 294600   | 35,000 LBS  | 35,000 LBS    | 17"  | TWO    | N/A            | 34.25"           | YES             |



LG4701-72NH

## Holland Heavy Duty Landing Gear



LG4001-70

The 51,000 Series Landing Gear is designed for strength and durability with strong ductile iron gears and 4 3/8" square outer tube. This Holland landing gear features a universal mounting bracket for inside or outside installation on semi-type trailers. High gear on the two-speed set operates at 4.5 turns per inch of travel, and low gear operates at 34.4 turns per inch of travel. LG4001-70 includes connecting pipe, strut brackets, crank handle, and clip. Finish is prime paint. Five year warranty.



### 51,000 Series Landing Gear Set

|           |        |             |            |     |     |        |     |
|-----------|--------|-------------|------------|-----|-----|--------|-----|
| LG4001-70 | 295500 | 140,000 LBS | 50,000 LBS | 17" | SET | 34.25" | YES |
|-----------|--------|-------------|------------|-----|-----|--------|-----|

### Replacement Jacks for 51,000 Series Landing Gear

|           |        |            |            |     |        |        |    |
|-----------|--------|------------|------------|-----|--------|--------|----|
| LG4001-71 | 295505 | 70,000 LBS | 50,000 LBS | 17" | SINGLE | 34.25" | NO |
| LG4001-72 | 295510 | 70,000 LBS | 50,000 LBS | 17" | TWO    | 34.25" | NO |

## Dropleg Jack & Landing Gear Accessories

JACKS,  
COUPLERS &  
WINCHES



These are industry standard accessories. All handles are primer coated. The clip, bushing, connecting pipe, and crosspipe are raw steel. These accessories can also be used with heavy duty jacks and landing gear.

| Part No.  | Ref. No. | Description  |
|-----------|----------|--|
| LG0083-01 | 297600   | 6" Handle  |
| LG0083-02 | 297615   | 6" Handle, Yoke turned 90 degrees                                |
| LG0083-03 | 297625   | 12" Handle   |
| LG0085    | 297630   | Hanger Clip  |
| LG0094    | 297650   | Connecting pipe for tandem jacks, 1" O.D. x 64 1/2" long         |
| CP42      | 297640   | Crosspipe extension for center mounted jacks, 42" overall length |
| CPB42     | 297645   | 1 1/2" x 2" Bushing for CP42 jack crosspipe                      |

## Atwood RV Landing Gear



Ideal for 5th wheel trailers, the R.V. Landing Gear is constructed of heavy-gauge steel with a zinc-plated extension tube and drop tube. For additional convenience, add the 75391 electrical motor kit (12 VDC) for automatic operation. The motor also allows manual override.

*Note: Use of the 75391 motor decreases the capacity rating of the 75333 landing gear to 5,000 lbs.*

| Part No. | Ref. No. | Capacity                 | Lift | Dropleg Travel | Total Adjustment |
|----------|----------|--------------------------|------|----------------|------------------|
| 75333    | 275105   | 6,000 LBS                | 20"  | 16"            | 36"              |
| 75391    | 275110   | Electric Motor for 75333 |      |                |                  |