


PM PETERSON

LED Clearance/Marker Lights

Sealed 2-diode LED light functions as a clearance, side marker, or ID light. Hard-wired design eliminates lamp-plug failure point. Mounts on 3" centers. Available in amber or red.

Part No.	Ref. No.	Description
169R	421506	LIGHT LED THIN-LINE CLR/MRKR RED HARD-WIRED
169A	421509	LIGHT LED THIN-LINE CLR/MRKR AMBER HARD-WIRED
B169-18	421507	BASE BLACK FOR 169 LED LIGHT



LED 2-Diode Clearance/Marker Lights

Sealed 2-diode LED light that functions as clearance or side marker light. Operates from 8-16 volts. Hard-wired with separate lead and ground wires for mounting to all surfaces. Mounts on 1 15/16" centers. 100,000-hour rated life. Available in amber or red.

Part No.	Ref. No.	Description
168R	421530	LIGHT LED 2-DIODE CLR/MRKR RED HARD-WIRED
168A	421532	LIGHT LED 2-DIODE CLR/MRKR AMBER HARD-WIRED
B168-18	421535	BASE, BLACK, FOR 168 LED LIGHT
B168-10	421537	BRACKET, CHROME, FOR 168 LED LIGHT



2" Round LED Clearance/Marker Lights

Round, 2" sealed LED light that functions as clearance, side marker, or identification light. Features sealed lens and housing. Operates from 8-16 volts and accepts industry standard 2 prong plug. Available in amber or red.

Part No.	Ref. No.	Description
164R	421513	PIRANHA LED 2" ROUND CLEARANCE/SIDEMARKER RED
164A	421516	PIRANHA LED 2" ROUND CLEARANCE/SIDEMRKR AMBER
24174R	421514	LIGHT LED 2" ROUND CLEARANCE/SIDEMRKR RED
24174A	421517	LIGHT LED 2" ROUND CLEARANCE/SIDEMRKR AMBER
166-18K	421518	GROMMET & PIGTAIL FOR 2" ROUND LED FLUSH MOUNT



2 1/2" Round LED Clearance/Marker Lights

Clearance, side marker, or identification light versatility in a 2 1/2" round LED light; featuring sealed lens and housing. Operates from 8-16 volts. Accepts industry standard 2-prong plug. Available in amber or red.

Part No.	Ref. No.	Description
162R	421520	PIRANHA LED 2-1/2" RND CLEARANCE/SIDEMARKER RED
162A	421524	PIRANHA LED 2-1/2" RND CLEARANCE/SIDEMRKR AMBER
24172R	421521	LIGHT LED 2-1/2" ROUND CLEARANCE/SIDEMRKR RED
24172A	421525	LED LIGHT 2-1/2" ROUND CLEARANCE/SIDEMRKR AMBER
163-18K	421526	GRMMT/PIGTAIL FOR 2 1/2" RND LED RECESS MOUNT
162-18K	421528	GRMMT/PIGTAIL FOR 2 1/2" RND LED FLUSH MOUNT



LIGHTS &
ELECTRICAL



LED Taillights



Round or oval, 7-diode LED stop, turn, and tail light meets FMVSS 108 in any 360 degree position. Operates from 8-16 volts.




420R-3



Part No.	Ref. No.	Description
420R-3	421495	LIGHT LED OVAL 7-DIODE STOP/TURN/TAIL W/PIGTAIL
421-18	421501	RUBBER GROMMET FOR SEALD OVAL STOP/TURN/TAIL LIGHT
LED-RT	421555	LED 4" ROUND, 7-DIODE, STOP/TURN/TAIL
426-18	421556	RUBBER GROMMET FOR SEALD 4" ROUND STP/TRN/TAIL
B417-49	421560	PIGTAIL FOR 4" RND LED & 10-DIODE OVAL LED LIGHT




Identification Mini-Light Bar



107-3R

The 107 Series light bar has three mini lights and contains #193 (12V) 15,000 hour heavy-duty bulbs. The 150 Series Bar features #2250 sealed lights for boat trailer use.

150-3R Sealed Marine Lights



Part No.	Ref. No.	Description	Mounting Bar
107-3A	427800	AMBER LIGHT BAR	WHITE FINISH
107-3R	428000	RED LIGHT BAR	WHITE FINISH
150-3R	428100	RED SEALED LIGHTS	BLACK MOLDING
107-15A	443400	AMBER REPLACEMENT LENS	
107-15R	443600	RED REPLACEMENT LENS	
107WA	422400	AMBER REPLACEMENT LIGHT	
107WR	422600	RED REPLACEMENT LIGHT	




VIBAR Identification Light Bar



104-3R

This unit has three "Champion" lights with acrylic lenses that snap and seal into Lexan housings. The exclusive VIBAR sockets minimize premature bulb failure. The mounting bar is constructed of heavy gauge aluminum. It contains #193 (12V) 15,000 hour heavy-duty bulbs.



Part No.	Ref. No.	Description	Mounting Bar
104-3R	427600	RED LIGHT BAR	ALUMINUM
100-15R	443200	RED REPLACEMENT LENS	
104R	421800	RED REPLACEMENT LIGHT	

LIGHTS &
ELECTRICAL



Thin-Line Identification Light Bar

This unit has three heavy-duty acrylic Thin-Line lenses that firmly snap into molded "O" rings on a sturdy black-finish steel bar. Attaches with two easy-access mounting holes. Only 2" wide, this unit contains #194 (12V) 2,500 hour heavy-duty bulbs.




136-3R

Part No.	Ref. No.	Description	Mounting Bar
136-3R	428200	RED LIGHT BAR	BLACK-FINISH STEEL
136-3A	428400	AMBER LIGHT BAR	BLACK-FINISH STEEL
136-15A	448800	AMBER REPLACEMENT LENS	
136-15R	449000	RED REPLACEMENT LENS	

Rectangular Clearance or Sidemarket Light/Reflector Single Stud Mount

This Side Marker or Clearance Light also acts as a Class A Reflector. Mounts with a single 1/4" diameter stud. Features a patented VIBAR socket which extends bulb life. It contains a #194 (12v) 2,500 hour heavy-duty bulb.


Part No.	Ref. No.	Description
114A	423200	AMBER LIGHT
114R	423400	RED LIGHT
55-15A	442600	AMBER REPLACEMENT LENS
55-15R	442800	RED REPLACEMENT LENS



Rectangular Clearance or Sidemarket Light/Reflector Surface Mount

This Side Marker or Clearance Light also acts as a Class A Reflector. Mounts with two screws without disassembly. The rugged molded housing protects the recessed lens from rocks and gravel. All the metal parts are stainless steel, so the light will not corrode. It contains a #194 (12V) 2,500 hour heavy-duty bulb.


Part No.	Ref. No.	Description	Housing
115A	423600	AMBER LIGHT	BLACK MOLDING
115R	423800	RED LIGHT	BLACK MOLDING
55-15A	442600	AMBER REPLACEMENT LENS	
55-15R	442800	RED REPLACEMENT LENS	



Rectangular Clearance or Sidemarket Light

This deluxe, high-styled Clearance or Sidemarket Light features chrome plating. A heavy molded vinyl mounting pad seals the back of the light. Requires a one inch diameter socket mounting hole. Stainless steel lens screws are included. It contains an #194 (12V) 2,500 hour heavy-duty bulb.

Part No.	Ref. No.	Description	Housing
126A	424800	AMBER LIGHT	CHROME MOLDING
126R	425000	RED LIGHT	CHROME MOLDING
126-15A	445000	AMBER REPLACEMENT LENS	
126-15R	445400	RED REPLACEMENT LENS	



Rectangular Two Bulb Clearance or Sidemarket Light

This popular style Clearance or Sidemarket Light has a molded plastic base containing two VIBAR sockets for prolonged bulb life. All metal parts are tinned brass. It contains #193 (12V) 15,000 hour heavy-duty bulbs.


Part No.	Ref. No.	Description
138A	425600	AMBER LIGHT
138R	425800	RED LIGHT
138-15A	446000	AMBER REPLACEMENT LENS
138-15R	446200	RED REPLACEMENT LENS



Steel Armored Clearance and Sidemarket Light

The acrylic lens is guarded by a 14 gauge bright plated steel housing, can be spot-welded to trailer rails and mounts without disassembly. The patented VIBAR socket minimizes premature bulb failure. Contains a #168 (12V) 2,500 hour heavy-duty bulb.

Part No.	Ref. No.	Description	Housing
119A	424000	AMBER LIGHT	CHROME-PLATED STEEL
119R	424200	RED LIGHT	CHROME-PLATED STEEL
119-15A	444200	AMBER REPLACEMENT LENS	
119-15R	444400	RED REPLACEMENT LENS	



LIGHTS &
ELECTRICAL


Vanguard II Clearance and Sidemarker Light



122A



122XA



These armored lights are available with a standard grey or chrome plated molded nylon or aluminum housings that resists rust and corrosion. The patented VIBAR socket minimizes premature bulb failure. The pass-through mounting holes permit installation without disassembly and its flat back eliminates the need for a socket hole. Comes with a Lexide Mounting Gasket. Contains a #193 (12V) 15,000 hour heavy-duty bulb.

Part No.	Ref. No.	Description	Housing
122A	424300	AMBER LIGHT	GREY MOLDING
122R	424350	RED LIGHT	GREY MOLDING
122XA	424400	AMBER LIGHT	CHROME MOLDING
122XR	424600	RED LIGHT	CHROME MOLDING
124A	424650	AMBER LIGHT	ALUMINUM MOLDING
124R	424700	RED LIGHT	ALUMINUM MOLDING
124-15A	444600	AMBER REPLACEMENT LENS	
124-15R	444800	RED REPLACEMENT LENS	

Thin-Line Clearance or Sidemarker Light



This oblong light in a non-corrosive, shock-absorbing molded housing is designed for narrow rails and channels where 2" wide lights will not fit. Featuring a cellulose sponge mounting pad, it measures 3 1/2" x 1 1/8" high with two 13/64" mounting holes on 2 3/4" centers and contains a #194 (12V) 2,500 hour heavy-duty bulb.



M136A

Part No.	Ref. No.	Description
M136R	427200	RED LIGHT
M136A	427400	AMBER LIGHT
136-15A	448800	AMBER REPLACEMENT LENS
136-15R	449000	RED REPLACEMENT LENS

Sealed Clearance or Sidemarker Light



The Lexan sealed lights are ideal for applications where small, attractive, waterproof clearance or marker lights are desired. The 2250 and 2636 series measure 2 1/4" x 1 1/4" x 3/4". The 2637 series measures 3 13/16" x 1 1/4" x 7/8" and comes with two bulbs.



2637R

2636R


Part No.	Ref. No.	Description	Housing
2250A	435200	AMBER LIGHT	CHROME PLATED MOLDED PLASTIC
2250R	435400	RED LIGHT	CHROME PLATED MOLDED PLASTIC
2636A	435500	AMBER LIGHT	RUBBER GROMMET
2636R	435505	RED LIGHT	RUBBER GROMMET
2637A	435510	AMBER LIGHT	BLACK MOLDED PLASTIC
2637R	435515	RED LIGHT	BLACK MOLDED PLASTIC

LIGHTS &
ELECTRICAL

Mini Clearance and Sidemarker Light



107WR




This light is unbelievably compact, yet packed with quality features. The acrylic lens locks into the base and is highly resistant to being knocked out. It contains a #193 (12V) 15,000 hour heavy-duty bulb.

Part No.	Ref. No.	Description	Housing
107WA	422400	AMBER LIGHT	WHITE MOLDING
107WR	422600	RED LIGHT	WHITE MOLDING
107-15A	443400	AMBER REPLACEMENT LENS	
107-15R	443600	RED REPLACEMENT LENS	

Oblong Clearance or Sidemarker Light/Reflector

This Light and Class A Reflector combination features "cross- optics" for a brilliant signal and patented VIBAR sockets to prolong bulb life. Contains one or two #193 (12V) 15,000 hour bulbs.

Part No.	Ref. No.	Description
108WA	422800	AMBER LIGHT WITH SINGLE BULB
108WR	423000	RED LIGHT WITH SINGLE BULB
106A	422000	AMBER LIGHT WITH TWO BULBS
106R	422100	RED LIGHT WITH TWO BULBS
108-15A	443800	AMBER REPLACEMENT LENS
108-15R	444000	RED REPLACEMENT LENS



Oblong Two Bulb Clearance and Sidemarker Light

This Two Bulb Light features two VIBAR sockets for prolonged bulb life. The acrylic lens snaps and seals into the housing. It contains #193 (12V) 15,000 hour heavy-duty bulbs.


Part No.	Ref. No.	Description
135A	425200	AMBER LIGHT
135R	425400	RED LIGHT
134-15A	445600	AMBER REPLACEMENT LENS
134-15R	445800	RED REPLACEMENT LENS



Round Sealed Clearance and Sidemarker Light

The 2 1/2" Round Lights have Lexan lenses and housings sonically welded into sealed, single units. 143 Series has a built-in Class A Reflector in the lens. 2 1/2" Round Lights require a 142-18K or 143-18K Mounting Kit. The 2" Round Lights utilize standard lenses, and are used for mounting in areas with limited space and require 146-18K Mounting Kits. Mounting Kits contain a grommet, plug and grounding screw. They contain #193 (12V) 15,000 hour heavy-duty bulbs.

Part No.	Ref. No.	Description	Type
142A	425850	AMBER, 2 1/2" ROUND	STANDARD LENS
142R	425900	RED, 2 1/2" ROUND	STANDARD LENS
143A	426000	AMBER, 2 1/2" ROUND	REFLECTOR LENS
143R	426200	RED, 2 1/2" ROUND	REFLECTOR LENS
142-18K	426800	MOUNTING KIT FOR RECESSED 2 1/2" ROUND LIGHT, REQUIRES A 3" HOLE.	
143-18K	427000	MOUNTING KIT FOR FLUSH 2 1/2" ROUND LIGHT, REQUIRES A 2 25/32" HOLE.	
146A	427100	AMBER, 2" ROUND	STANDARD LENS
146R	427110	RED, 2" ROUND	STANDARD LENS
146-18K	427125	MOUNTING KIT FOR FLUSH 2" ROUND LIGHT REQUIRES A 2 5/16" HOLE.	
142-49	426600	REPLACEMENT PLUG FOR 142,143 AND 146 SERIES LIGHTS	



LIGHTS &
ELECTRICAL


"Champion" Round Clearance and Sidemarker Light



"Champion" Lights feature Lexan housings and VIBAR sockets to extend bulb life. The acrylic lens snaps and seals into the housing. A flat back eliminates the need for a socket hole. They contain #193 (12V) 15,000 hour heavy-duty bulbs.



104R



Part No.	Ref. No.	Description
104A	421600	AMBER LIGHT
104R	421800	RED LIGHT
100-15A	443000	AMBER REPLACEMENT LENS
100-15R	443200	RED REPLACEMENT LENS

Flush Mount Stop, Turn and Tail Light




These Flush Mount Lights provide stop, turn and tail light functions. Choose from a steel housing with black enamel finish or a 304 stainless steel housing with satin finish. Steel housing lights come with either brass or VIBAR bulb sockets. All three types come with regular, or reflex reflector optics around the periphery of the lens. All six lights feature a snap ring retaining wire to secure the lens and a #1157 (12v) bulb.



413-3



425-3



Part No.	Ref. No.	Description	Socket	Housing	Lens
413-3	429600	RED LIGHT	BRASS	POLY	REFLECTIVE
413	429650	RED LIGHT	BRASS	POLY	STANDARD
413S-3	429800	RED LIGHT	BRASS	STAINLESS STEEL	REFLECTIVE
413S	429850	RED LIGHT	BRASS	STAINLESS STEEL	STANDARD
425-3	430000	RED LIGHT	VIBAR	MILD STEEL	REFLECTIVE
425	430050	RED LIGHT	VIBAR	MILD STEEL	STANDARD
410-15R	447600	LIGHT, TAIL LENS RED FOR 413, 413S & 425			
414-15C	448000	CLEAR REPLACEMENT LENS			STANDARD
415-15R	448200	RED REPLACEMENT LENS			REFLECTIVE
413-07	451000	REPLACEMENT PLUG FOR 413 SERIES & 425 SERIES LIGHTS			
410-21	447800	REPLACEMENT RETAINER RING FOR 413 SERIES & 425 SERIES LIGHTS			



Pedestal Mount Stop, Turn and Tail Light

This durable light has a black 4 1/8" ABS housing with a snap-on red lens that functions as a stop, turn and tail light. Two lead wires exit through 1/2" diameter hollow stud. It contains a #1157 bulb.



313-2

Part No.	Ref. No.	Description	Housing	Lens
313-2	429005	RED LIGHT	BLACK POLY	
338-15A	448730	AMBER REPLACEMENT LENS		STANDARD
338-15R	448725	RED REPLACEMENT LENS		STANDARD




Stud Mount Stop, Turn and Tail Light

Stud Mount Three Function Lights perform as stop, turn and tail lights. Four Function Light performs all the same functions, plus a license illuminator. Both feature wrap-over-lens retained by two screws onto a black plastic housing making the light dust resistant. 1/4" studs include mounting hardware. Contains a #1157 bulb. Part #445 is standard on trucks such as Peterbilt, Mack, White and Jeep.



428S



445




Part No.	Ref. No.	Description	Function	Housing
428S	431800	RED LIGHT	3	BLACK PLASTIC
428W	432000	RED LIGHT	4	BLACK PLASTIC
445	432500	RED LIGHT	4	BLACK PLASTIC
420-15R	448400	RED REPLACEMENT LENS FOR 428 SERIES LIGHTS		
413-07	451000	REPLACEMENT PLUG FOR 428 SERIES LIGHTS		

Rectangular Multi-Function Combination Taillight

This Multi-Function Rear Light has a corrosion resistant molded housing and bronze contacts. No plug is required; simply insert the wire ends for a secure connection. Right Hand Light performs as a stop, turn and tail light, rear and side reflector, side marker. Rear Left Hand Light performs the same, plus has a license illuminator. 440 series lights contain a #1157 and a #1895 bulb. 444 series lights contain a #1157 and a #193 bulb.



Part No.	Ref. No.	Description	Function	Side	Application
440	432200	RED LIGHT	6	RIGHT HAND	UNDER 80" WIDE TRAILERS
440L	432400	RED LIGHT	7	LEFT HAND	UNDER 80" WIDE TRAILERS
444	432450	RED LIGHT	7	RIGHT HAND	OVER 80" WIDE TRAILERS
24444	432452	RED LIGHT	7	RIGHT HAND	OVER 80" WIDE TRAILERS
444L	432475	RED LIGHT	8	LEFT HAND	OVER 80" WIDE TRAILERS
24444L	432478	RED LIGHT	8	LEFT HAND	OVER 80" WIDE TRAILERS
55-15R	442800	RED REPLACEMENT SIDE MARKER LENS FOR 440 SERIES LIGHTS			
56-15R	448700	RED REPLACEMENT SIDE LENS FOR 444 SERIES LIGHTS			
440-15R	448600	RED REPLACEMENT LENS FOR 440 & 444 SERIES LIGHTS			



440



444

Trailer Light Kit

Kits feature the 440 Combination Rear Light with special electrical connections that eliminate external wiring splices. Wiring harnesses simply plug into the back of the lights. The Kits provide all legal lighting and reflective equipment for any trailer less than 80" wide. Front side marker lights have built-in reflectors and mount with a single stud. Kits include a four wire split harness, frame clips, flexible plastic license bracket and wire nuts.



Part No.	Ref. No.	Description	Wiring Harness
540	432600	TRAILER LIGHT KIT	20 FT LONG
545	432800	TRAILER LIGHT KIT	25 FT LONG



Flush Mount Rectangular Combination Taillight

Five function flush mount light performs as a stop, turn and tail light, rear reflector and rear clearance light. The Lexan lens and housing are resistant to corrosion. Two VIBAR sockets ensure prolonged bulb life. This unit has color-coded wires and stainless steel lens screws. It contains two #1157 (12V) bulbs.



Part No.	Ref. No.	Description	Function	Side	Housing
430L	430600	RED LIGHT	5	LEFT HAND	WHITE MOLDED PLASTIC
430R	430800	RED LIGHT	5	RIGHT HAND	WHITE MOLDED PLASTIC



430R

Sealed Sidemarker/Turn Signal Light

Lexan housing and lenses are sonic welded to provide a permanent seal. Meets SAE recommended practice for side turn signals, while providing marker and reflector functions. Includes grommet and plug. Often used with mounting bracket #421-09.



Part No.	Ref. No.	Description	Housing
352KA	436650	AMBER LIGHT KIT	WHITE MOLDED PLASTIC



Flush Mount Sealed Stop, Turn and Tail Light

These Flush Mount Sealed Lights feature a Lexan housing and lens that's permanently sealed by a fusion bonding process. The bulb floats in a VIBAR socket for extended life. The exclusive wire connection port offers maximum corrosion protection when used with the plug and mounting grommet provided. Kit contains the grommet and plug necessary for installation.



Part No.	Ref. No.	Description	Type
426KA	435600	AMBER LIGHT KIT	STANDARD
426KR	435800	RED LIGHT KIT	STANDARD
427KR	436000	RED LIGHT KIT	REFLECTIVE
426R	435810	REPLACEMENT RED SEALED BEAM FOR 426KR	
431-491	436400	REPLACEMENT PLUG FOR 426 & 427 SERIES LIGHTS	
426-18	421556	REPLACEMENT RUBBER GROMMET	




426KR

Flush Mount Sealed Turn Signal Light



This unit is completely sealed in a Lexan housing and lens, and the bulb is shock mounted to protect it from wear and tear. This advanced design virtually eliminates rust, corrosion, filament fracture and installation or removal problems. Light is ideal for narrow widths. It is legal in either horizontal or vertical mount. The kit contains the grommet, plug and grounding screw necessary for installation.




Part No.	Ref. No.	Description
421KA	436625	AMBER LIGHT KIT
421KR	436800	RED LIGHT KIT
421R	436808	REPLACEMENT RED SEALED BEAM FOR 421 KR
421-18	421501	REPLACEMENT RUBBER GROMMET



Surface Mount Sealed Low Profile Taillight

456 & 456L

Hermetically sealed to protect the bulb and electrical contacts from damage by water or corrosion. Right Hand Light performs as a stop, turn and tail light, rear and side reflector, side marker and rear clearance. Left Hand Light performs the same, plus has a license illuminator.



Part No.	Ref. No.	Description	Function	Side
456L	436810	RED LIGHT	8	LEFT HAND
456	436812	RED LIGHT	7	RIGHT HAND

Bargman I.D. Bar Light

Bargman®



This unit has a unique design with all three ID light bulbs recessed inside shrouds, to produce an overall effect of one lens with three individual light sources.

Part No.	Ref. No.	Description	Mounting Bar
IDL99-111	428850	RED LIGHT BAR W/ SPOTLIGHTS	WHITE POLY




Sealed License Plate Light

This all Lexan sealed License Illumination Light meets all federal specifications when properly mounted. Comes with plug.



439K




Part No.	Ref. No.	Description
439K	435100	LICENSE LIGHT KIT
439	435105	REPLACEMENT SEALED LICENSE PLATE LIGHT ONLY
142-49	426600	REPLACEMENT PLUG FOR 439K SERIES LIGHT

VIBAR License Light



436B

This light features Lexan housing retained with a steel screw and a VIBAR socket to extend the bulb life. All internal parts are stainless steel or brass. The 436B includes a heavy gauge black steel bracket for license attachment and includes mounting hardware. Contains a #168 bulb.



Part No.	Ref. No.	Description
436	434400	VIBAR LICENSE LIGHT
436B	434600	LICENSE LIGHT WITH BRACKET

LIGHTS & ELECTRICAL

License Lights


These are surface mount license plate lights. Also available is the LP-52CB, which comes with the license plate mounting bracket.



Part No.	Ref. No.	Description
LP-31CB	451156	LIGHT, MINI CHROME LICENSE PLATE W/SCREWS
LP-51CB	451159	LIGHT, LICENSE GRAY HOUSING
LP-52CB	451162	LIGHT, LICENSE GRAY HOUSING W/BLK STEEL BRKT



Snap-in License / Utility Light



This chrome plated steel Light snaps in a 1 1/4" diameter hole. Ideal for courtesy lights, instrument lights and license lights. Two units required for legal license illumination. It contains a #193 bulb in a twist-in socket.

Part No.	Ref. No.	Description
438	434800	SNAP-IN LICENSE LIGHT

Backup Light

Backup Light with a stainless steel housing utilizes the standard 4 1/4" clear lens (#414-15C), held in place by a retainer ring. The sealed backup lights feature a clear Lexan lens and VIBAR socket. Kit comes with a plug and mounting grommet. Part 411SC contains a #1156 bulb.

Part No.	Ref. No.	Description	Housing
411SC	429870	CLEAR BACKUP LIGHT	STAINLESS STEEL
415K	436200	CLEAR BACKUP LIGHT KIT	SEALED (GROMMET)
416K	436600	CLEAR BACKUP LIGHT KIT	SEALED (GROMMET)
414-15C	448000	CLEAR REPLACEMENT LENS FOR 411SC	
411-07	450800	REPLACEMENT PLUG FOR 411SC	



416K



415K



411SC

Rectangular Backup Light

This popular design has a tough Lexan lens featuring pillow optics for maximum light dispersion. It measures 4 9/16" x 2 1/2" x 1 3/4" high. Contains a #1141 bulb.

Part No.	Ref. No.	Description	Type
393C	433800	CLEAR BACKUP LIGHT	SURFACE MOUNT



Tractor Utility Light

507-12 Tractor Light has a 3,000 candle power trapezoidal beam pattern. It is mounted in a black rubber housing for increased shock resistance. A 5/16" mounting stud and swiveling bracket permit installation on horizontal, vertical or slanted surfaces. The horizontal adjustment is 360 degrees, vertical adjustment 90 degrees forward and 90 degrees back. The overall diameter is 4 3/4", installed height 5 7/8", depth 2 3/4". It contains a par 36, 12 volt sealed beam.

Part No.	Ref. No.	Description	Housing
507-12	434010	CLEAR TRACTOR OR UTILITY LIGHT	BLACK RUBBER
TL-10CB	451500	TRACTOR OR UTILITY LIGHT, 5"	SEALED RUBBER HOUSING BKT



Utility Light

517 Mini Halogen Light features black plastic housing, low rectangular profile with swivel mounting 2 3/8" stud, and stainless steel external hardware for corrosion-free service. Loading light for truck beds, van-type trailers, etc.

Part No.	Ref. No.	Description	Housing
517	434150	CLEAR HALOGEN UTILITY LIGHT	BLACK PLASTIC



Weatherproof Light with Switch

This weatherproof utility light is great for both open and enclosed trailers. Comes complete with switch.


Part No.	Ref. No.	Description	Housing
IL-21CB	451135	LIGHT, INT/EXT RECTANGULAR, WEATHERPROOF W/SWITCH	



Dome Light with Switch

A rugged polypropylene housing and a tough, flexible high density lens combine to make this unit ideal for bright general illumination. The lens is virtually indestructible...it will give and flex rather than shatter or crack. The light is operated by a push-type on/off switch. Grounds through mounting screws. The lens diameter is 4 13/16", housing diameter is 6 5/16" and height is 2". It contains a #1141 bulb.

Part No.	Ref. No.	Description	Housing
390S	433200	WHITE DOME LIGHT	WHITE
389S	433075	WHITE DOME LIGHT	ALUMINUM



LIGHTS &
ELECTRICAL

Porch and Utility Light

Compact exterior light with black rocker switch is designed for surface mounting. Features clear snap-in lens and two wire construction (supply and ground). Measures 5 5/16" x 3 1/2" x 2".

Part No.	Ref. No.	Description	Housing
UPL78-503	433060	CLEAR PORCH OR UTILITY LIGHT	COLONIAL WHITE

Bargman®





Interior and Compartment Light



This durable surface mount light measures 4 9/16" x 2 1/2" x 1 3/4" high. Features a Lexan lens, a long-life, all-nylon on/off push switch and is supplied with ground wires for mounting on non-metallic surfaces. It contains a #1141 bulb.

Part No.	Ref. No.	Description
391	433600	CLEAR INTERIOR AND COMPARTMENT LIGHT
391-25	447000	CLEAR REPLACEMENT LEXAN LENS

Bargman®

Interior Light with Switch



IL93-213



IL93-113

Single or Double Interior Lights with black rocker switches are designed for surface mounting. Feature high output, clear acrylic optic lens and two wire construction (supply and ground). IL93-113 measures 6 1/2" x 4 7/16" x 1 3/4", IL93-213 measures 11 1/2" x 4 17/16" x 1 3/4".

Part No.	Ref. No.	Description	TYPE	Housing
IL93-113	433300	CLEAR INTERIOR LIGHT	SINGLE	POLAR WHITE
IL93-213	433310	CLEAR INTERIOR LIGHT	DOUBLE	POLAR WHITE


Auxiliary Towing Light Kit



Safe towing made easier! Consists of two magnetic mounting taillights, a wire harness and a flat 4-way connector. The light kit works great for RV's towing vehicles, tow trucks hauling cars, for transporting portable compressors or other equipment at night, trailers with electrical problems, or any time taillights are needed in a temporary towing situation.

Part No.	Ref. No.	Description	Wiring Harness
ATL20A	432900	MAGNETIC MOUNT TOW LIGHT KIT	20 FT LONG

Aluminum Oval Reflector



This is a rustproof Reflector with a 3" diameter acrylic lens.

Part No.	Ref. No.	Description	Housing
B472A	437000	AMBER REFLECTOR	ALUMINUM
B472R	437200	RED REFLECTOR	ALUMINUM

Quick Mount Reflector

An adhesive backing permanently mounts these reflectors to any clean, flat surface.



B481R

Part No.	Ref. No.	Description	Diameter
B475A	437400	AMBER REFLECTOR	3 3/16"
B475R	437600	RED REFLECTOR	3 3/16"
B481A	439000	AMBER REFLECTOR	2 3/8"
B481R	439200	RED REFLECTOR	2 3/8"

Center Mount Reflector

These hermetically sealed reflectors mount with a single screw through a center hole.



B476A



B477R

Part No.	Ref. No.	Description	Diameter
B476A	437800	AMBER REFLECTOR	3 3/16"
B476R	438000	RED REFLECTOR	3 3/16"
B477A	438200	AMBER REFLECTOR	2 3/8"
B477R	438400	RED REFLECTOR	2 3/8"